



2024

PRODUCT CATALOG

High quality stainless steel products

KEEP UP-TO-DATE WITH ***THORINOX***



Thorinox



@Thorinox



@Thorinox



Thorinox.com

BE THE FIRST TO HEAR
ABOUT PROMOS,
NEW INFORMATION
& PRODUCT LAUNCHES



TABLE OF CONTENT

Why Thorinox

Racks

- 5 Stainless Steel Rack
- 6-7 Aluminium Racks
- 8 Specialty Racks
- 9 Rack Accessories

Shelving

- 10-11 Wire Racks
- 12-14 Wire Rack Accessories
- 15-17 Cabinets & Wall mount shelves

Work Tables

- 18 100% Stainless Steel Table
- 19 Galvanized Steel Tables with Stainless Top
- 20 Stainless Corner Table & Polytop Stainless Table
- 21-24 Table Accessories (overshelf, supports, drawers)

Equipment Stands

- 25 Equipment Stand

Sinks

- | | |
|----------------|-------------------------|
| 28-29 Singles | 26 Dish Rack |
| 30-31 Doubles | 27 Work table with Sink |
| 32-33 Triples | 34-35 Dishwasher Tables |
| 38 Accessories | 36-37 Standalone Sinks |

Plumbing

- 39 Pre-Rinse Faucets & Parts
- 40-41 Standard Faucet & Parts

Fryer Station

- 42 Fryer Accessories

Policies

- | | |
|-----------------|----------------------------|
| 43 Warranty | Returns |
| Pricing & Specs | Freight or Handling Damage |
| Order Placement | |

CERTIFICATIONS



All of our products are NSF certified, unless specified otherwise. All of our sinks are CSA and NSF approved.

AUTOQUOTES



All of our products, along with their specifications, can be found on AutoQuotes.



We are a Canadian company that has built an excellent reputation throughout the years based on multiple factors that we are very proud of; Founded in 2006 under the Distex umbrella, Thorinox is a premium manufacturer of stainless steel; the versatile, strong and sleek material forged into a brand. Under the expert guidance of Michel Prevost, the founder, Thorinox as seen a successful legacy over the past 15+ years, providing a wide product lineup including essential commercial kitchen equipment, applicable to a multitude industries.

The name Thorinox was birthed from two compelling themes: First, Thor, the Norse god of thunder; an image of considerable strength, a protector often associated with light. Second, Inox, from the french word inoxydable, a translation of "Stainless steel". On top of being our main trade, it is synonymous with durability and resilience – our core values.

We have the best customer service you can ask for. Our dedicated employees take your needs in to account and ensure that you will be given accurate information in a timely manner.

High quality is not an option, it's a standard. We only provide products that are reliable and long lasting. We pay particular attention to small details that will make our products better and easier to use.

We keep high levels of inventory across the country to ensure we have the products you need when you need them. Our warehouses are filled and ready to process and deliver your goods in a timely and efficient manner.

We offer experienced and unmatched after-sales service. Our team is here to answer your questions by offering a first class representation that is also supported by our warranty team.



STAINLESS STEEL

BUN PAN RACK

- STANDARD FEATURES
- All stainless steel
 - 18 gauge, 201 stainless steel
 - Delivered knocked down (easy to assemble)
 - Double welded tray slides
 - Non-marking casters
 - Security bar (SS models)
 - Racks can accommodate 18" x 26" bun pans

Model	Exterior Width	Interior Width	D	H*	Shelves	Spacing	Max Load per shelf
DRACK-1218-SS	20.25"	18.25"	26"	69"	12	5"	44 lbs
DRACK-2018-SS	20.25"	18.25"	26"	69"	20	3"	26 lbs

*Height includes casters



OPTIONAL ACCESSORIES





ALUMINUM BUN PAN RACK

STANDARD FEATURES

- Made with new aluminum
- Delivered knocked down (easy to assemble)
- Double welded tray slides
- Reinforcement bars in the middle
- Racks accommodates 18" x 26" bun pans

Model	Exterior Width	Interior Width	D	H*	Shelves	Spacing	Max Load per shelf
DRACK-1218-ALUWB	20.25"	18.25"	26"	69"	12	5"	50 lbs
DRACK-2018-ALUWB	20.25"	18.25"	26"	69"	20	3"	50 lbs

FOR 15" RUBBERMAID BINS and 15" x 21" bun pans

DRACK-1215-ALUWB	18.25"	16.25"	26"	69"	12	5"	50 lbs
------------------	--------	--------	-----	-----	----	----	--------

FOR DISH RACKS

DRACK-1221-ALUWB	22.5"	20.5"	26"	69"	12	5"	50 lbs
------------------	-------	-------	-----	-----	----	----	--------

*Height includes casters

OPTIONAL ACCESSORIES APPLICABLE TO ALL RACKS



HALF-SIZE ALUMINUM BUN PAN RACK

STANDARD FEATURES

- Made with new aluminum
- Delivered knocked down (easy to assemble)
- Double welded tray slides
- Racks accommodates 18" x 26" bun pans
- With flat aluminium top except for DRACK-1018-ALUNB



Model	Exterior Width	Interior Width	D	H*	Shelves	Spacing	Max Load per shelf
DRACK-0715-ALUNB	18.25"	16.25"	26"	31.5"	7	3"	50 lbs
DRACK-0718-ALUNB	20.25"	18.25"	26"	31.5"	7	3"	50 lbs
DRACK-1018-ALUNB	20.25"	18.25"	26"	41.75"	10	3"	50 lbs

*Height includes casters


DOUBLE RACK

STANDARD FEATURES

- Made with new aluminum
- Delivered knocked down (easy to assemble)
- Rounded corners
- Double welded tray slides
- Holds 16" x 22" bun pans and 15" Rubbermaid bins

Model	Shelves	Spacing	Max Load per shelf
DRACK-1216-ALD	24	5"	50 lbs
Exterior Width	Interior Width (per side)	Depth	Height*
35.75"	16.25"	26"	69"

*Height includes casters



UNDER COUNTER DOUBLE RACK

STANDARD FEATURES

- Made with new aluminum
- Delivered knocked down (easy to assemble)
- Double welded tray slides
- Fits below countertops
- Racks accommodates 18" x 26" bun pans
- With flat aluminium top



Model	Exterior Width	Interior Width (per side)	D	H*	Shelves	Spacing	Max Load per shelf
DRACK-0718-ALD	40"	18.25"	26"	33"	14	3"	50 lbs

*Height includes casters

STAINLESS STEEL BUN PAN RACK FOR REFRIGERATORS & FREEZERS



STANDARD FEATURES

- All stainless steel
- 18 gauge, 201 stainless steel
- Delivered knocked down (easy to assemble)
- Double welded tray slides
- Racks can accommodate 18" x 26" bun pans

NEW AIR NSR/NSF



Model	Exterior Width	Interior Width	D	H	Shelves	Spacing	Max Load per shelf
TRACK-1418-SS	20.25"	18.25"	22"	51.5"	14	3"	33 lbs



STAINLESS STEEL RACK FOR OVENS

STANDARD FEATURES

- 430 stainless steel
- 5mm thick wire frame with 3mm crossbars

Model	W	D
TOR-1826-SS	18"	26"

BRIKA B-BXXT-V / B-MXXTTR-V



OVEN STAND

STANDARD FEATURES

- Ideal for 24" to 40" wide ovens
- Integrated pan rack
- 5" casters standard
- Ledge on 3 sides (top)
- Extra braces for more strenght

Model	W	D	H	Shelves	Spacing	Max load (total)
TOS-3235-SS	32"	29"	35"	8	2.5"	350 kg
TOS-3935-SS	39"	34"	35"	8	2.5"	350 kg
TOS-3925-SS	39"	34"	25"	4	2.5"	350 kg



BOLT-KIT

Set of 12 screws for DRACK



DRACK-CASTERS Casters for
DRACK bun pan racks (no brake)

DRACK-CASTERS-B Casters for
DRACK bun pan racks (with brakes)




LONG HEX BOLT

Hex bolt for DRACK



DRACK-BUMPER

Bumper for caster



DRACK-BAR-15 Set of 6 bars

DRACK-BAR-18 Set of 6 bars

DRACK-BAR-20 Set of 6 bars



DRACK-COVER

Protective
cover for full size DRACK



CHROME FINISH WIRESHELVES



STANDARD FEATURES

- Various sizes to fit your needs
- Easy to assemble
- Numbered posts, multiple heights available
- Reinforced in the middle
- Sold in sets of 4
- Black post clips included

Model	W	D	Max Load
TCFS-1424	24"	14"	750 lbs
TCFS-1430	30"	14"	750 lbs
TCFS-1436	36"	14"	750 lbs
TCFS-1442	42"	14"	750 lbs
TCFS-1448	48"	14"	750 lbs
TCFS-1454	54"	14"	600 lbs
TCFS-1460	60"	14"	600 lbs
TCFS-1472	72"	14"	600 lbs
TCFS-1824	24"	18"	750 lbs
TCFS-1830	30"	18"	750 lbs
TCFS-1836	36"	18"	750 lbs
TCFS-1842	42"	18"	750 lbs
TCFS-1848	48"	18"	750 lbs
TCFS-1854	54"	18"	600 lbs
TCFS-1860	60"	18"	600 lbs
TCFS-1872	72"	18"	600 lbs
TCFS-2124	24"	21"	750 lbs
TCFS-2130	30"	21"	750 lbs
TCFS-2136	36"	21"	750 lbs
TCFS-2142	42"	21"	750 lbs
TCFS-2148	48"	21"	750 lbs
TCFS-2154	54"	21"	600 lbs
TCFS-2160	60"	21"	600 lbs
TCFS-2172	72"	21"	600 lbs
TCFS-2424	24"	24"	750 lbs
TCFS-2430	30"	24"	750 lbs
TCFS-2436	36"	24"	750 lbs
TCFS-2442	42"	24"	750 lbs
TCFS-2448	48"	24"	750 lbs
TCFS-2454	54"	24"	600 lbs
TCFS-2460	60"	24"	600 lbs
TCFS-2472	72"	24"	600 lbs

CHROME FINISH WINE SHELVES



Model	W	D	Bottles Per Shelf
TCWS-1436	36"	14"	9
TCWS-1448	48"	14"	12

SINGLE POST

Model	H
TCFP-13	13"
TCFP-34	34"
TCFP-54	54"
TCFP-64	64"
TCFP-72	72"
TCFP-84	84"

GREEN EPOXY WIRESHELVES





Model	W	D	Max Load
TGES-1424	24"	14"	750 lbs
TGES-1430	30"	14"	750 lbs
TGES-1436	36"	14"	750 lbs
TGES-1442	42"	14"	750 lbs
TGES-1448	48"	14"	750 lbs
TGES-1454	54"	14"	600 lbs
TGES-1460	60"	14"	600 lbs
TGES-1472	72"	14"	600 lbs
TGES-1824	24"	18"	750 lbs
TGES-1830	30"	18"	750 lbs
TGES-1836	36"	18"	750 lbs
TGES-1842	42"	18"	750 lbs
TGES-1848	48"	18"	750 lbs
TGES-1854	54"	18"	600 lbs
TGES-1860	60"	18"	600 lbs
TGES-1872	72"	18"	600 lbs
TGES-2124	24"	21"	750 lbs
TGES-2130	30"	21"	750 lbs
TGES-2136	36"	21"	750 lbs
TGES-2142	42"	21"	750 lbs
TGES-2148	48"	21"	750 lbs
TGES-2154	54"	21"	600 lbs
TGES-2160	60"	21"	600 lbs
TGES-2172	72"	21"	600 lbs
TGES-2424	24"	24"	750 lbs
TGES-2430	30"	24"	750 lbs
TGES-2436	36"	24"	750 lbs
TGES-2442	42"	24"	750 lbs
TGES-2448	48"	24"	750 lbs
TGES-2454	54"	24"	600 lbs
TGES-2460	60"	24"	600 lbs
TGES-2472	72"	24"	600 lbs

STANDARD FEATURES

- Various sizes to fit your needs
- Easy to assemble
- Numbered posts, multiple heights available
- Reinforced in the middle
- Sold in sets of 4
- Black post clips included
- 10 YEAR WARRANTY** on epoxy coating

** Warranty voided if shelving is installed in a humid or salty environment.

OPTIONAL ACCESSORIES




SINGLE POST

Model	H
TGEP-13	13"
TGEP-34	34"
TGEP-54	54"
TGEP-64	64"
TGEP-72	72"
TGEP-84	84"

WALL BRACE

Model	Description
TPWB-CA	Chrome, flush (type A)
TPWB-CB	Chrome, spacer (type B)
TPWB-EA	Epoxy, flush (type A)
TPWB-EB	Epoxy, spacer (type B)



SHELF DIVIDER

Model	Description
TCSD-18	18" Chrome finish
TCSD-21	21" Chrome finish
TCSD-24	24" Chrome finish
TESD-18	18" Epoxy finish
TESD-21	21" Epoxy finish
TESD-24	24" Epoxy finish

POST CLAMP

Model	Description
P-CLAMP-C	Chrome finish
P-CLAMP-E	Epoxy finish



BULLET FEET

Model	Description
TBF-C	Chrome finish
TBF-E	Epoxy finish

*Posts come with bullet feet standard



CAPS

Model	Description
TPOST-CAP	Caps for post



CLIPS

Model	Description
P-CLIP	Set of Four Clips




WIRESHelf LEDGES

Model	Description
TCWL-18	18" Chrome finish
TCWL-24	24" Chrome finish
TCWL-36	36" Chrome finish
TCWL-48	48" Chrome finish
TEWL-18	18" Epoxy finish
TEWL-24	24" Epoxy finish
TEWL-36	36" Epoxy finish
TEWL-48	48" Epoxy finish



FOOT PLATE

Model	Description
TFP-C	Chrome finish
TFP-E	Epoxy finish



SUPPORT RAIL

Model	Description
TCSR-18	18" Chrome support rail
TCSR-24	24" Chrome support rail
TESR-18	18" Epoxy support rail
TESR-24	24" Epoxy support rail




SINGLE U BRACE

Model	Description
TCWB-1836	for TCFS-1836
TCWB-1848	for TCFS-1848
TCWB-1860	for TCFS-1860
TCWB-2436	for TCFS-2436
TCWB-2448	for TCFS-2448
TCWB-2460	for TCFS-2460
TEWB-1836	for TGES-1836
TEWB-1848	for TGES-1848
TEWB-1860	for TGES-1860
TEWB-2436	for TGES-2436
TEWB-2448	for TGES-2448
TEWB-2460	for TGES-2460




PRICE TAG CHANNEL

Model	Description
TPTC-4	for Chrome & Epoxy



S-HOOK

Model	Description
S-HOOK-C	Chrome finish
S-HOOK-E	Epoxy Finish



PLASTIC SHELF LINER

Model	Description
TWPS-1836	for 18" x 36" shelf
TWPS-1848	for 18" x 48" shelf
TWPS-1860	for 18" x 60" shelf
TWPS-1872	for 18" x 72" shelf

Model	Description
TWPS-2436	for 24" x 36" shelf
TWPS-2448	for 24" x 48" shelf
TWPS-2460	for 24" x 60" shelf



FLAT HANDLE - CHROME

Model	Width
TCFH-18	18"
TCFH-21	21"
TCFH-24	24"



FLAT HANDLE - EPOXY

Model	Width
TEFH-18	18"
TEFH-21	21"
TEFH-24	24"



UP HANDLE - CHROME

Model	Width
TCUH-18	18"
TCUH-21	21"
TCUH-24	24"



UP HANDLE - EPOXY

Model	Width
TEUH-18	18"
TEUH-21	21"
TEUH-24	24"



CASTERS

Model	Description
SHELF-CASTERS	Without brakes
SHELF-CASTERS-B	With brakes



BUMPERS

Model	Description
TWS-BUMPER	for Chrome or Epoxy



WALL BRACKETS

CHROME - SINGLE

Model	Width
SWB-14-C	14"
SWB-18-C	18"
SWB-21-C	21"
SWB-24-C	24"

CHROME - DOUBLE


Model	Width
DWB-14-C	14"
DWB-18-C	18"
DWB-21-C	21"
DWB-24-C	24"

EPOXY - SINGLE

Model	Width
SWB-14-E	14"
SWB-18-E	18"
SWB-21-E	21"
SWB-24-E	24"

EPOXY - DOUBLE

Model	Width
DWB-14-E	14"
DWB-18-E	18"
DWB-21-E	21"
DWB-24-E	24"



STAINLESS STEEL WALL MOUNT SHELF



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Vibration insulation

WALL SHELF BRACKETS



MIDDLE BRACKET

Model	Description
TMBS-1272-SS	Middle bracket for 12" deep wall shelf
TMBS-1472-SS	Middle bracket for 14" deep wall shelf
TMBS-1672-SS	Middle bracket for 16" deep wall shelf

STAINLESS STEEL MICROWAVE SHELF

STANDARD FEATURES


- Made with 18 gauge, 430 stainless steel
- Reversible angles
- Can support up to 60 lbs
- **Hole for wires with rubber ring standard**

Model	W	D
TMWS-2418-SS	24"	18"
TMWS-2424-SS	24"	24"

Model	W	D	Max Load
TWSS-1224-SS	24"	12"	55 lbs
TWSS-1230-SS	30"	12"	55 lbs
TWSS-1236-SS	36"	12"	66 lbs
TWSS-1248-SS	48"	12"	99 lbs
TWSS-1260-SS	60"	12"	110 lbs
TWSS-1272-SS	72"	12"	99 lbs
TWSS-1284-SS	84"	12"	99 lbs
TWSS-1296-SS	96"	12"	110 lbs
TWSS-1424-SS	24"	14"	55 lbs
TWSS-1430-SS	30"	14"	55 lbs
TWSS-1436-SS	36"	14"	66 lbs
TWSS-1448-SS	48"	14"	99 lbs
TWSS-1460-SS	60"	14"	110 lbs
TWSS-1472-SS	72"	14"	99 lbs
TWSS-1484-SS	84"	14"	99 lbs
TWSS-1496-SS	96"	14"	110 lbs
TWSS-1636-SS	36"	16"	66 lbs
TWSS-1648-SS	48"	16"	99 lbs
TWSS-1660-SS	60"	16"	110 lbs
TWSS-1672-SS	72"	16"	99 lbs
TWSS-1684-SS	84"	16"	99 lbs
TWSS-1696-SS	96"	16"	110 lbs

SIDE BRACKET

Model	Description
TSBS-12-SS	Side bracket for 12" deep wall shelf
TSBS-14-SS	Side bracket for 14" deep wall shelf
TSBS-16-SS	Side bracket for 16" deep wall shelf



SHELVING CABINETS

STAINLESS STEEL KNOCKDOWN CABINET



TKCA-XXXX-SS



TKCA-XXXX-BK

OPTIONAL ACCESSORY Set of swivel casters

Model	W	D	H*	Top Max Load
TKCA-3048-SS	48"	30"	34"	88 lbs
TKCA-3060-SS	60"	30"	34"	60 lbs
TKCA-3072-SS	72"	30"	34"	55 lbs
TKCA-3048-BK	48"	30"	34"	88 lbs
TKCA-3060-BK	60"	30"	34"	66 lbs
TKCA-3072-BK	72"	30"	34"	55 lbs

*Height includes 5" legs, does not include 5" backsplash (if applicable)

STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Adjustable interior stainless steel shelf included
- Delivered knocked down
- 5" backsplash on TKCA-BK models

Model	W	D	H*	Top Max Load
TCAD-2436-SS	36"	24"	34"	88 lbs
TCAD-2448-SS	48"	24"	34"	88 lbs
TCAD-3048-SS	48"	30"	34"	88 lbs
TCAD-3060-SS	60"	30"	34"	88 lbs

*Height includes 5" legs, does not include 5" backsplash

STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Adjustable interior stainless steel shelf included
- Delivered assembled

OPTIONAL ACCESSORY Set of swivel casters

STAINLESS STEEL CABINET WITH DRAWERS



OPEN STORAGE CABINET




OPTIONAL ACCESSORY Set of swivel casters

Model	W	D	H	Max Load
TKOC-1536-SS	36"	15"	34"	176 lbs
TKOC-1548-SS	48"	15"	34"	176 lbs
TKOC-1560-SS	60"	15"	34"	143 lbs
TKOC-1572-SS	72"	15"	34"	110 lbs
TKOC-1836-SS	36"	18"	34"	176 lbs
TKOC-1848-SS	48"	18"	34"	176 lbs
TKOC-1860-SS	60"	18"	34"	143 lbs
TKOC-1872-SS	72"	18"	34"	110 lbs

STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Delivered knocked down
- Adjustable middle shelf

STAINLESS STEEL OPEN WALL CABINET




Model	W	D	H	Max Load
TWCO-1236-SS	36"	12"	24"	88 lbs
TWCO-1248-SS	48"	12"	24"	88 lbs
TWCO-1436-SS	36"	14"	24"	88 lbs
TWCO-1448-SS	48"	14"	24"	88 lbs

STANDARD FEATURES

- Made with 22 gauge, 430 stainless steel
- Delivered knocked down
- Adjustable stainless steel middle shelf

Model	W	D	H	Max Load
TWCA-1224-SS	24"	12"	24"	77 lbs
TWCA-1236-SS	36"	12"	24"	88 lbs
TWCA-1248-SS	48"	12"	24"	88 lbs
TWCA-1260-SS	60"	12"	24"	77 lbs
TWCA-1424-SS	24"	14"	24"	77 lbs
TWCA-1436-SS	36"	14"	24"	88 lbs
TWCA-1448-SS	48"	14"	24"	88 lbs
TWCA-1460-SS	60"	14"	24"	77 bs

STAINLESS STEEL WALL CABINET



STANDARD FEATURES

- Made with 22 gauge, 430 stainless steel
- Delivered knocked down
- Adjustable stainless steel middle shelf
- **Lock standard**



WORKTABLES


STAINLESS STEEL WORK TABLE WITH STAINLESS STEEL LEGS AND UNDERSHELF



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Stainless steel legs, undershelf, and bulletfeet
- Easy to assemble
- Stronger and welded corners

OPTIONAL ACCESSORIES



Model	W	D	H	Max Load (top)	Max Load (bottom)
DSST-2424-SS	24"	24"	34"	330 lbs	110 lbs
DSST-2430-SS	30"	24"	34"	396 lbs	132 lbs
DSST-2436-SS	36"	24"	34"	396 lbs	132 lbs
DSST-2448-SS	48"	24"	34"	396 lbs	110 lbs
DSST-2460-SS	60"	24"	34"	375 lbs	110 lbs
DSST-2472-SS	72"	24"	34"	330 lbs	110 lbs
DSST-2484-SS	84"	24"	34"	396 lbs	132 lbs
DSST-2496-SS	96"	24"	34"	396 lbs	132 lbs
DSST-3012-SS	12"	30"	34"	265 lbs	88 lbs
DSST-3015-SS	15"	30"	34"	265 lbs	88 lbs
DSST-3018-SS	18"	30"	34"	265 lbs	88 lbs
DSST-3024-SS	24"	30"	34"	330 lbs	110 lbs
DSST-3030-SS	30"	30"	34"	396 lbs	132 lbs
DSST-3036-SS	36"	30"	34"	396 lbs	132 lbs
DSST-3048-SS	48"	30"	34"	396 lbs	132 lbs
DSST-3060-SS	60"	30"	34"	375 lbs	110 lbs
DSST-3072-SS	72"	30"	34"	330 lbs	110 lbs
DSST-3084-SS	84"	30"	34"	396 lbs	132 lbs
DSST-3096-SS	96"	30"	34"	396 lbs	132 lbs

Model	W	D	H*	Max Load (top)	Max Load (bottom)
DSST-2424-BKSS	24"	24"	34"	330 lbs	110 lbs
DSST-2430-BKSS	30"	24"	34"	396 lbs	132 lbs
DSST-2436-BKSS	36"	24"	34"	396 lbs	132 lbs
DSST-2448-BKSS	48"	24"	34"	396 lbs	132 lbs
DSST-2460-BKSS	60"	24"	34"	375 lbs	110 lbs
DSST-2472-BKSS	72"	24"	34"	330 lbs	110 lbs
DSST-2484-BKSS	84"	24"	34"	396 lbs	132 lbs
DSST-2496-BKSS	96"	24"	34"	396 lbs	132 lbs
DSST-3024-BKSS	24"	30"	34"	330 lbs	110 lbs
DSST-3030-BKSS	30"	30"	34"	396 lbs	132 lbs
DSST-3036-BKSS	36"	30"	34"	396 lbs	132 lbs
DSST-3048-BKSS	48"	30"	34"	396 lbs	132 lbs
DSST-3060-BKSS	60"	30"	34"	375 lbs	110 lbs
DSST-3072-BKSS	72"	30"	34"	330 lbs	110 lbs
DSST-3084-BKSS	84"	30"	34"	396 lbs	132 lbs
DSST-3096-BKSS	96"	30"	34"	396 lbs	132 lbs

*Height excludes 5" backsplash

SS WORK TABLE WITH 5" BACKSPLASH & STAINLESS STEEL UNDERSHELF AND LEGS



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Stainless steel legs, undershelf, and bulletfeet
- Easy to assemble
- Stronger and welded corners

STAINLESS STEEL WORK TABLE TOP WITH GALVANIZED STEEL LEGS AND UNDERSHELF



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel (top)
- Galvanized steel legs and adjustable undershelf
- Easy to assemble
- Stronger and welded corners
- Hat channel on the bottom

Model	W	D	H	Max Load (top)	Max Load (bottom)
DSST-2424-GS	24"	24"	34"	330 lbs	110 lbs
DSST-2430-GS	30"	24"	34"	400 lbs	132 lbs
DSST-2436-GS	36"	24"	34"	400 lbs	132 lbs
DSST-2448-GS	48"	24"	34"	400 lbs	132 lbs
DSST-2460-GS	60"	24"	34"	375 lbs	110 lbs
DSST-2472-GS	72"	24"	34"	375 lbs	110 lbs
DSST-2484-GS	84"	24"	34"	400 lbs	132 lbs
DSST-2496-GS	96"	24"	34"	400 lbs	132 lbs
DSST-3012-GS	12"	30"	34"	265 lbs	100 lbs
DSST-3015-GS	15"	30"	34"	265 lbs	100 lbs
DSST-3018-GS	18"	30"	34"	265 lbs	100 lbs
DSST-3024-GS	24"	30"	34"	300 lbs	132 lbs
DSST-3030-GS	30"	30"	34"	375 lbs	132 lbs
DSST-3036-GS	36"	30"	34"	400 lbs	132 lbs
DSST-3048-GS	48"	30"	34"	400 lbs	132 lbs
DSST-3060-GS	60"	30"	34"	400 lbs	132 lbs
DSST-3072-GS	72"	30"	34"	375 lbs	110 lbs
DSST-3084-GS	84"	30"	34"	400 lbs	132 lbs
DSST-3096-GS	96"	30"	34"	400 lbs	132 lbs

Model	W	D	H*	Max Load (top)	Max Load (bottom)
DSST-2424-BK	24"	24"	34"	330 lbs	110 lbs
DSST-2430-BK	30"	24"	34"	400 lbs	132 lbs
DSST-2436-BK	36"	24"	34"	400 lbs	132 lbs
DSST-2448-BK	48"	24"	34"	400 lbs	132 lbs
DSST-2460-BK	60"	24"	34"	375 lbs	110 lbs
DSST-2472-BK	72"	24"	34"	375 lbs	110 lbs
DSST-2484-BK	84"	24"	34"	400 lbs	132 lbs
DSST-2496-BK	96"	24"	34"	400 lbs	132 lbs
DSST-3024-BK	24"	30"	34"	300 lbs	132 lbs
DSST-3030-BK	30"	30"	34"	375 lbs	132 lbs
DSST-3036-BK	36"	30"	34"	400 lbs	132 lbs
DSST-3048-BK	48"	30"	34"	400 lbs	132 lbs
DSST-3060-BK	60"	30"	34"	400 lbs	132 lbs
DSST-3072-BK	72"	30"	34"	375 lbs	110 lbs
DSST-3084-BK	84"	30"	34"	400 lbs	132 lbs
DSST-3096-BK	96"	30"	34"	400 lbs	132 lbs

*Height excludes 5" backsplash



STAINLESS WORK TABLE TOP WITH 5" BACKSPLASH & GALVANIZED STEEL LEGS AND UNDERSHELF



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel (top)
- Galvanized steel legs and adjustable undershelf
- Easy to assemble
- Stronger and welded corners
- Hat channel on the bottom

OPTIONAL ACCESSORIES



WORKTABLES

Model	W	D	H	Max Load (top)	Max Load (bottom)
TCWT-2424-BKSS	32"	32"	34"	330 lbs	110 lbs
TCWT-3030-BKSS	38"	38"	34"	330 lbs	110 lbs

*Height excludes 5" backsplash

STAINLESS STEEL CORNER WORK TABLE



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Has a 5" backplash
- Comes with matching undershelf
- Easy to assemble
- Designed to match **DSST-2424/3030-BKSS**

STAINLESS STEEL WORK TABLE WITH POLYTOP

**SPECIAL ORDER ITEM – CONTACT A REPRESENTATIVE



Model	W	D	H	Max Load (top)	Max Load (bottom)
DSST-3036-PT	36"	30"	34"	400 lbs	132 lbs
DSST-3048-PT	48"	30"	34"	400 lbs	132 lbs
DSST-3060-PT	60"	30"	34"	400 lbs	132 lbs
DSST-3072-PT	72"	30"	34"	375 lbs	110 lbs

STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Undershelf for better stability
- Easy to assemble
- Cutting boards available in 0.75" and 1" thickness

POLYTOP CUTTING BOARDS



Model	W	D	Thickness
TCB-3036-19	36"	30"	0.75"
TCB-3048-19	48"	30"	0.75"
TCB-3060-19	60"	30"	0.75"
TCB-3072-19	72"	30"	0.75"

Model	W	D	Thickness
TCB-3036-25	36"	30"	1"
TCB-3048-25	48"	30"	1"
TCB-3060-25	60"	30"	1"
TCB-3072-25	72"	30"	1"

DID YOU KNOW?

Cutting boards should be washed and disinfected after each use. Simply cleaning with warm water and soap will not kill bacteria. To disinfect, you must use commercial-grade disinfectant or put the cutting boards in the dishwasher. Once the cutting boards have been thoroughly cleaned and disinfected, store them upright, not piled on top of each other.

"PASS THRU" OVERSHELF

WITH ADJUSTABLE MIDDLE SHELF



STANDARD FEATURES

- Made with 18 gauge, 430 stainless steel
- Easy to assemble
- Adjustable middle shelf
- Optional: additional shelf

Model	W	D	H	Max Load Top/Bottom
TDOS-1236-SS	36"	12"	28.5"	22 / 22 lbs
TDOS-1248-SS	48"	12"	28.5"	22 / 22 lbs
TDOS-1260-SS	60"	12"	28.5"	17 / 17 lbs
TDOS-1272-SS	72"	12"	28.5"	13 / 13 lbs
TDOS-1284-SS	84"	12"	28.5"	33 / 33 lbs
TDOS-1296-SS	96"	12"	28.5"	33 / 33 lbs
TDOS-1429-SS*	29"	14"	28.5"	22 / 22 lbs
TDOS-1436-SS	36"	14"	28.5"	22 / 22 lbs
TDOS-1448-SS	48"	14"	28.5"	22 / 22 lbs
TDOS-1460-SS	60"	14"	28.5"	17 / 17 lbs
TDOS-1472-SS	72"	14"	28.5"	13 / 13 lbs
TDOS-1484-SS	84"	14"	28.5"	33 / 33 lbs
TDOS-1496-SS	96"	14"	28.5"	33 / 33 lbs
TDOS-1636-SS	36"	16"	28.5"	22 / 22 lbs
TDOS-1648-SS	48"	16"	28.5"	22 / 22 lbs
TDOS-1660-SS	60"	16"	28.5"	17 / 17 lbs
TDOS-1672-SS	72"	16"	28.5"	13 / 13 lbs

*New! For NewAir's NPT-029-SA salad prep table

DID YOU KNOW?



Our standard TDOS is also compatible with a number of New Air products, such as the NUR under-counter refrigerators and NPT salad/sandwich prep tables



NUR



NPT



OVERSHELF FOR **NEW AIR** PIZZA TABLES



NEW!

Now available, the new TDOS overshelf variant compatible with New Air's NPT-PI Pizza Prep Tables!

STAINLESS STEEL BRACES



Model

Description

DSST-2436-BSS	"U" shaped reinforcement bars for DSST-2436-SS
DSST-2448-BSS	"U" shaped reinforcement bars for DSST-2448-SS
DSST-2460-BSS	"U" shaped reinforcement bars for DSST-2460-SS
DSST-2472-BSS	"U" shaped reinforcement bars for DSST-2472-SS
DSST-2484-BSS	"U" shaped reinforcement bars for DSST-2484-SS
DSST-2496-BSS	"U" shaped reinforcement bars for DSST-2496-SS
DSST-3036-BSS	"U" shaped reinforcement bars for DSST-3036-SS
DSST-3048-BSS	"U" shaped reinforcement bars for DSST-3048-SS
DSST-3060-BSS	"U" shaped reinforcement bars for DSST-3060-SS
DSST-3072-BSS	"U" shaped reinforcement bars for DSST-3072-SS
DSST-3084-BSS	"U" shaped reinforcement bars for DSST-3084-SS
DSST-3096-BSS	"U" shaped reinforcement bars for DSST-3096-SS

TIP

To get the proper bracer for your table, simply add a "B" to your chosen table's SKU: DSST-XXXX-**BSS**

Model

Description

GALVANIZED STEEL BRACES

DSST-2436-BGS	"U" shaped reinforcement bars for DSST-2436-GS
DSST-2448-BGS	"U" shaped reinforcement bars for DSST-2448-GS
DSST-2460-BGS	"U" shaped reinforcement bars for DSST-2460-GS
DSST-2472-BGS	"U" shaped reinforcement bars for DSST-2472-GS
DSST-2484-BGS	"U" shaped reinforcement bars for DSST-2484-GS
DSST-2496-BGS	"U" shaped reinforcement bars for DSST-2496-GS
DSST-3036-BGS	"U" shaped reinforcement bars for DSST-3036-GS
DSST-3048-BGS	"U" shaped reinforcement bars for DSST-3048-GS
DSST-3060-BGS	"U" shaped reinforcement bars for DSST-3060-GS
DSST-3072-BGS	"U" shaped reinforcement bars for DSST-3072-GS
DSST-3084-BGS	"U" shaped reinforcement bars for DSST-3084-GS
DSST-3096-BGS	"U" shaped reinforcement bars for DSST-3096-GS



TIP

To get the proper bracer for your table, simply add a "B" to your chosen table's SKU: DSST-DDWW-**BGS**

CASTERS FOR TABLES & EQUIPMENT STAND

Model

Description

DSST-CASTERS	single caster without brake
DSST-CASTERS-B	single caster with brake



FOR STAINLESS STEEL TABLES

Model

Description

DSST-LEGS-SS	Set of four 32" legs for a 34" table
DSST-LEGS36-SS	Set of four 34" legs for a 36" table
T-BULLETFEET-SS	Single bullet feet*

*included with legs standard



FOR GALVANIZED STEEL TABLES

Model

Description

DSST-LEGS-GS	Set of four 32" legs for a 34" table
DSST-LEGS36-GS	Set of four 34" legs for a 36" table
T-BULLETFEET-GS	Single bullet feet*

*included with legs standard



STAINLESS STEEL UNDERSHELF



TIP


Designed for SS & BKSS work tables

STANDARD FEATURES

- Made with high quality 18 gauge, 430 stainless steel
- Various sizes to fit your needs
- Stronger, welded corners

Model	W*	D*	Max Load
DUS-2424-SS	24"	24"	110 lbs
DUS-2430-SS	30"	24"	132 lbs
DUS-2436-SS	36"	24"	132 lbs
DUS-2448-SS	48"	24"	132 lbs
DUS-2460-SS	60"	24"	110 lbs
DUS-2472-SS	72"	24"	110 lbs
DUS-2484-SS	84"	24"	132 lbs
DUS-2496-SS	96"	24"	132 lbs
DUS-3012-SS	12"	30"	88 lbs
DUS-3015-SS	15"	30"	88 lbs
DUS-3018-SS	18"	30"	88 lbs
DUS-3024-SS	24"	30"	110 lbs
DUS-3030-SS	30"	30"	132 lbs
DUS-3036-SS	36"	30"	132 lbs
DUS-3048-SS	48"	30"	132 lbs
DUS-3060-SS	60"	30"	110 lbs
DUS-3072-SS	72"	30"	110 lbs
DUS-3084-SS	84"	30"	132 lbs
DUS-3096-SS	96"	30"	132 lbs

*Fits size of table

Model	W*	D*	Max Load	GALVANIZED STEEL UNDERSHELF	
DUS-2424-GS	24"	24"	110 lbs	 <p>TIP Designed for GS and BK work tables ** Does not fit on Poly Top Tables</p>	
DUS-2430-GS	30"	24"	132 lbs		
DUS-2436-GS	36"	24"	132 lbs		
DUS-2448-GS	48"	24"	132 lbs		
DUS-2460-GS	60"	24"	110 lbs		
DUS-2472-GS	72"	24"	110 lbs		
DUS-2484-GS	84"	24"	132 lbs		
DUS-2496-GS	96"	24"	132 lbs		
DUS-3012-GS	12"	30"	88 lbs		
DUS-3015-GS	15"	30"	88 lbs		
DUS-3018-GS	18"	30"	88 lbs		
DUS-3024-GS	24"	30"	110 lbs		
DUS-3030-GS	30"	30"	132 lbs		
DUS-3036-GS	36"	30"	132 lbs		
DUS-3048-GS	48"	30"	132 lbs		
DUS-3060-GS	60"	30"	110 lbs		
DUS-3072-GS	72"	30"	110 lbs		
DUS-3084-GS	84"	30"	132 lbs		
DUS-3096-GS	96"	30"	132 lbs		

*Fits size of table

STANDARD FEATURES

- Made with galvanized steel
- Various sizes to fit your needs
- Reinforced, non-welded corners

DRAWER



SINGLE

Model	W*	D**	H	Max Load
TDRS-2418-SS	18"	24"	6.5"	22 lbs
TDRS-2424-SS	24"	24"	6.5"	22 lbs
TDRS-3018-SS	18"	30"	6.5"	22 lbs
TDRS-3024-SS	24"	30"	6.5"	22 lbs

*Drawer width without braces
**Fits table depth of

DOUBLE

Model	W*	D**	H	Max Load
TDRD-2418-SS	18"	24"	11.5"	44 lbs
TDRD-2424-SS	18"	30"	11.5"	44 lbs

*Drawer width without braces
**Fits table depth of



STANDARD FEATURES

- Heavy duty drawer brackets
- Made with 22 gauge, 430 stainless steel
- Easy to install

DID YOU KNOW?

Our universal drawers are designed to fit on our DSST stainless steel table, whether 24" & 30" deep.

However they are not suitable for equipment stands.



STAINLESS STEEL EQUIPMENT STAND WITH STAINLESS TOP, LEGS, AND UNDERSHELF



Model	W	D	H	Max Load
DSTAND-2424-SS	24"	24"	22"	485 lbs
DSTAND-3018-SS	18"	30"	22"	440 lbs
DSTAND-3024-SS	24"	30"	22"	485 lbs
DSTAND-3030-SS	30"	30"	22"	550 lbs
DSTAND-3036-SS	36"	30"	22"	550 lbs
DSTAND-3048-SS	48"	30"	22"	550 lbs

STANDARD FEATURES

- Stainless steel adjustable undershelf and legs
- Stronger, welded corners
- 18 gauge, 430 stainless steel
- Stainless steel bulletfeet
- 3" side size including the rim

OPTIONAL ACCESSORIES



STAINLESS STEEL TOP EQUIPMENT STAND WITH GALVANIZED STEEL LEGS AND UNDERSHELF



Model	W	D	H	Max Load
DSTAND-2412-GS	12"	24"	22"	275 lbs
DSTAND-2415-GS	15"	24"	22"	290 lbs
DSTAND-2418-GS	18"	24"	22"	310 lbs
DSTAND-2424-GS	24"	24"	22"	330 lbs
DSTAND-2430-GS	30"	24"	22"	350 lbs
DSTAND-2436-GS	36"	24"	22"	375 lbs
DSTAND-2448-GS	48"	24"	22"	400 lbs
DSTAND-2460-GS	60"	24"	22"	425 lbs
DSTAND-2472-GS	72"	24"	22"	450 lbs
DSTAND-3012-GS	12"	30"	22"	300 lbs
DSTAND-3015-GS	15"	30"	22"	325 lbs
DSTAND-3018-GS	18"	30"	22"	350 lbs
DSTAND-3024-GS	24"	30"	22"	375 lbs
DSTAND-3030-GS	30"	30"	22"	400 lbs
DSTAND-3036-GS	36"	30"	22"	425 lbs
DSTAND-3048-GS	48"	30"	22"	450 lbs
DSTAND-3060-GS	60"	30"	22"	475 lbs
DSTAND-3072-GS	72"	30"	22"	500 lbs

STANDARD FEATURES

- Galvanized steel undershelf and legs
- Reinforced, non-welded corners
- 18 gauge, 430 stainless steel top
- Plastic bulletfeet
- 3" side size including the rim

OPTIONAL ACCESSORIES





WHY THORINOX SINKS?

Thorinox offers many handwashing station options for numerous applications from foodservice and grocery stores, to cafeterias, waiting rooms, schools and much more. Our hand sinks are known for their reliability and convenience, as well as their practical design.

Not only do these sinks help you keep your hands clean throughout the day, they themselves are also easy to clean and sanitize, keeping your work space safe. With a multitude of types and models to choose to from, we are confident in finding the perfect handwashing station for your needs.

Whether you are looking for a hands-free option or a standard gooseneck faucet, Thorinox has you covered!

STAINLESS STEEL DISH WALL RACK



Model	W	D	H	Drain	Baskets
TWDR-2221-R	21"	22"	28.5"	Right	1
TWDR-2221-L	21"	22"	28.5"	Left	1
TWDR-2242-R	42"	22"	28.5"	Right	2
TWDR-2242-L	42"	22"	28.5"	Left	2
TWDR-2263-R	63"	22"	28.5"	Right	3
TWDR-2263-L	63"	22"	28.5"	Left	3

STANDARD FEATURES

- Made with 16 gauge, 430 stainless steel
- Drain on left or right
- Dish rack NOT included



WORK TABLE WITH SINK



Bowl size	W	D	H
for TWTS-24XX	14"	10"	12"
for TWTS-30XX	20"	16"	12"

SINK ON THE LEFT

Model	W	D	H*
TWTS-2448-LS	48"	24"	35.5"
TWTS-2460-LS	60"	24"	35.5"
TWTS-2472-LS	72"	24"	35.5"
TWTS-3048-LS	48"	30"	35.5"
TWTS-3060-LS	60"	30"	35.5"
TWTS-3072-LS	72"	30"	35.5"

*Height excludes 5" backsplash

SINK ON THE RIGHT

Model	W	D	H*
TWTS-2448-RS	48"	24"	35.5"
TWTS-2460-RS	60"	24"	35.5"
TWTS-2472-RS	72"	24"	35.5"
TWTS-3048-RS	48"	30"	35.5"
TWTS-3060-RS	60"	30"	35.5"
TWTS-3072-RS	72"	30"	35.5"

*Height excludes 5" backsplash


STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel top
- Stainless steel legs, and bulletfeet
- Well-polished welded seams
- Curved corners and rolled edges
- 5" backsplash
- Deck faucet holes 4" center
- Central 3.5" Drain
- Die-stamped creased drainboards for positive drainage

MUST ORDER WITH


STAINLESS STEEL UNDERSHELF

More durable




GALVANIZED STEEL BRACE KIT

More cost-effective



OPTIONAL ACCESSORIES



SINGLE 18" & 20" SINK



Model	Bowl Size			Overall Size		
	W	D	H	W	D	H**
TSS-1818-0*	18"	18"	11"	23"	23.5"	36.5"
TSS-2020-0*	20"	20"	12"	25.5"	25"	36.5"
TSS-1821-0	18"	21"	11"	26.5"	35.5"	36.5"


*Sold without brace kit

**Height excludes 6.5" backsplash

STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Stainless steel legs and bulletfeet
- 6.5" backsplash with 45° return
- Faucet hole at 8" from centre
- Well-polished welded seams
- Curved corners and rolled edges
- Die-stamped creased drainboards for positive drainage
- Strainer, drain and 10" overflow included
- Wall bracket included

INCLUDED STANDARD



OPTIONAL ACCESSORIES

- Set of "U" shaped reinforcement bars (brace bar kit)



TSS-1818-L18



TSS-1818-RL18
brace bar not included




TSS-1818-R18

SINGLE SINK WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	W	D	H	W	D	H**	Side	Size
TSS-1818-L18*	18"	18"	11"	38.5"	23.5"	36.5"	Left	18"
TSS-1818-RL18*	18"	18"	11"	54"	23.5"	36.5"	Left and Right	18"
TSS-1818-R18*	18"	18"	11"	38.5"	23.5"	36.5"	Right	18"
TSS-1821-L18	18"	21"	11"	38.5"	26.5"	36.5"	Left	18"
TSS-1821-R18	18"	21"	11"	38.5"	26.5"	36.5"	Right	18"

*Sold without brace kit

**Below the drainboard


Model	Bowl Size			Overall Size			SINGLE 24" SINK
	W	D	H	W	D	H**	
TSS-2424-0	24"	24"	14"	29.5"	29"	36.5"	
TSS-2424-C	24"	24"	14"	30"	30"	36.5"	
TSS-2430-C	30"	24"	14"	35"	30"	36.5"	

**Height excludes 6.5" backsplash

STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Faucet holes 8" center
- Stainless steel legs, braces and bulletfeet
- 2424-C and 2430-C models have a centre drain (included)
- TSS-2430-C can accomodate 18" x 26" bun pans

INCLUDED STANDARD



OPTIONAL ACCESSORIES



for TSS-2424-C & TSS-2430-C only

SINGLE SINK WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	W	D	H	W	D	H**	Side	Size
TSS-2424-L24	24"	24"	14"	50.5"	29.5"	36.5"	Left	24"
TSS-2424-RL24	24"	24"	14"	72"	29.5"	36.5"	Left and Right	24"
TSS-2424-R24	24"	24"	14"	50.5"	29.5"	36.5"	Right	24"

**Below the drainboard



TSS-2424-L24




TSS-2424-RL24



TSS-2424-R24

SINKS

DOUBLE SINKS


DOUBLE 18" SINK	Model	Bowl Size			Overall Size		
		W	D	H	W	D	H**
	TDS-1818-0*	18"	18"	11"	41"	23.5"	36.5"
	TDS-1821-0*	18"	21"	14"	41"	26.5"	36.5"

**Height excludes 6.5" backsplash

STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- Faucet holes 8" center

INCLUDED STANDARD



DOUBLE 18" SINK WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	W	D	H	W	D	H**	Side	Size
TDS-1818-L18	18"	18"	11"	56.5"	23.5"	36.5"	Left	18"
TDS-1818-RL18	18"	18"	11"	72"	23.5"	36.5"	Left and Right	18"
TDS-1818-R18	18"	18"	11"	56.5"	23.5"	36.5"	Right	18"

**Below the drainboard



DOUBLE 24" SINK

Model	Bowl Size			Overall Size		
	W	D	H	W	D	H**
TDS-2424-0	24"	24"	14"	53"	29.5"	36.5"


**Height excludes 6.5" backsplash



STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- Faucet holes 8" center

INCLUDED STANDARD



OPTIONAL ACCESSORY



TDS-2424-L24



TDS-2424-RL24



TDS-2424-R24

DOUBLE 24" SINK WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	W	D	H	W	D	H**	Side	Size
TDS-2424-L24	24"	24"	14"	74.5"	29.5"	36.5"	Left	24"
TDS-2424-RL24	24"	24"	14"	96"	29.5"	36.5"	Left and Right	24"
TDS-2424-R24	24"	24"	14"	74.5"	29.5"	36.5"	Right	24"

**Below the drainboard

TRIPLE 18" SINK




Model	Bowl Size			Overall Size		
	W	D	H	W	D	H*
TTS-1818-0	18"	18"	11"	59"	23.5"	36.5"
TTS-1821-0	21"	18"	14"	59"	26.5"	36.5"

*Height excludes 6.5" backsplash

STANDARD FEATURES

- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- Faucet hole at 8" from centre
- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Die-stamped creased drainboards for positive drainage
- Curved corners and rolled edges

INCLUDED STANDARD



TTS-1818-L18



TTS-1818-RL18



TTS-1818-R18

TRIPLE 18" SINK WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	W	D	H	W	D	H*	Side	Size
TTS-1818-L18	18"	18"	11"	74.5"	23.5"	36.5"	Left	18"
TTS-1818-RL18	18"	18"	11"	74.5"	23.5"	36.5"	Left and Right	18"
TTS-1818-R18	18"	18"	11"	90"	23.5"	36.5"	Right	18"

*Below the drainboard

Model	Bowl Size			Overall Size			H**	TRIPLE 24" SINK
	W	D	H	W	D	H**		
TTS-2424-0	24"	24"	14"	77"	29.5"	36.5"		

**Height excludes 6.5" backsplash

STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Stainless steel legs, braces and bulletfeet
- 6.5" backsplash with 45° return
- Well-polished welded seams
- Curved corners and rolled edges
- Die-stamped creased drainboards for positive drainage
- Faucet holes 8" center (two sets)



OPTIONAL ACCESSORY

TDW-BASKET

P-34

INCLUDED STANDARD

TRIPLE 24" SINK WITH DRAINBOARD

Model	Bowl Size			Overall Size			Drainboard	
	W	D	H	W	D	H*	Side	Size
TTS-2424-L24	24"	24"	14"	98.5"	29.5"	36.5"	Left	24"
TTS-2424-RL24	24"	24"	14"	120"	29.5"	36.5"	Left and Right	24"
TTS-2424-R24	24"	24"	14"	98.5"	29.5"	36.5"	Right	24"

*Below the drainboard

TTS-2424-L24

TTS-2424-RL24

TTS-2424-R24

SINKS FOR DISHWASHER

STANDARD FEATURES (BOTH SINGLE & DOUBLE)

- **L: left drainboard**
 - **R: right drainboard**
 - Made with 18 gauge, 304 stainless steel
 - Well-polished welded seams
 - Curved corners and rolled edges
 - Die-stamped creased drainboards for positive drainage
- (CONTINUED BELOW)



24" SINGLE SINK FOR DISHWASHERS (TSS)

Model	Bowl Size			Overall Size			Drainboard	
	W	D	H	W	D	H*	Side	Size
TSS-2424-LDW	24"	24"	14"	50.75"	30"	36.5"	Left	24"
TSS-2424-RDW	24"	24"	14"	50.75"	30"	36.5"	Right	24"


*Below drainboard



STANDARD FEATURES (CONTINUED)

- 6.5" backsplash with 45° return
- Stainless steel legs, braces and bulletfeet
- 3.5" centre drain included

OPTIONAL ACCESSORY



24" DOUBLE SINK FOR DISHWASHERS (TDS)

Model	Bowl Size			Overall Size			Drainboard	
	W	D	H	W	D	H*	Side	Size
TDS-2424-LDW	24"	24"	14"	74.5"	30"	36.5"	Left	24"
TDS-2424-RDW	24"	24"	14"	74.5"	30"	36.5"	Right	24"


STANDARD DISH BASKET FITS ANY 24" X 24" SINKS

Model	W	D	H
TDW-BASKET	23.75"	23.75"	4"

STANDARD FEATURES

- 20 gauge, 304 stainless steel
- Perforated for better drainage
- Two sturdy handles for easy maneuvering



					CLEAN DISH TABLE (TCDT)
Model	W	D	H*	Max Load	
TCDT-3024-L	24"	30"	36.5"	230 lbs	
TCDT-3024-R	24"	30"	36.5"	230 lbs	
TCDT-3030-L	30"	30"	36.5"	240 lbs	
TCDT-3030-R	30"	30"	36.5"	240 lbs	
TCDT-3036-L	36"	30"	36.5"	245 lbs	
TCDT-3036-R	36"	30"	36.5"	245 lbs	
TCDT-3048-L	48"	30"	36.5"	250 lbs	
TCDT-3048-R	48"	30"	36.5"	250 lbs	
TCDT-3060-L	60"	30"	36.5"	260 lbs	
TCDT-3060-R	60"	30"	36.5"	260 lbs	
TCDT-3072-L	72"	30"	36.5"	275 lbs	
TCDT-3072-R	72"	30"	36.5"	275 lbs	

*Height excludes 6.5" backsplash

STANDARD FEATURES

- **L:** goes to the left of the dishwasher
- **R:** goes to the right of the dishwasher
- Made with 16 gauge, 304 stainless steel
- Stainless steel legs with adjustable feet
- Reinforcement bar

SOILED DISH TABLE (TSDT)



FOR DECK MOUNT FAUCET

Model	W	D	H*
TSDT-3030-L	30"	30"	36.5"
TSDT-3030-R	30"	30"	36.5"
TSDT-3036-L	36"	30"	36.5"
TSDT-3036-R	36"	30"	36.5"
TSDT-3048-L	48"	30"	36.5"
TSDT-3048-R	48"	30"	36.5"
TSDT-3060-L	60"	30"	36.5"
TSDT-3060-R	60"	30"	36.5"
TSDT-3072-L	72"	30"	36.5"
TSDT-3072-R	72"	30"	36.5"

*Height excludes 6.5" backsplash

STANDARD FEATURES

- **L:** goes to the left of the dishwasher
- **R:** goes to the right of the dishwasher
- Stainless steel legs with adjustable feet
- 3.5" drain included
- Available for deck or wall mount faucet
- TSDT-basket included!

Bowl size	W	D	H
for all TSDT	20"	20"	6"

FOR WALL MOUNT FAUCET

Model	W	D	H*
TSDT-3030-LWM	30"	30"	36.5"
TSDT-3030-RWM	30"	30"	36.5"
TSDT-3036-LWM	36"	30"	36.5"
TSDT-3036-RWM	36"	30"	36.5"
TSDT-3048-LWM	48"	30"	36.5"
TSDT-3048-RWM	48"	30"	36.5"
TSDT-3060-LWM	60"	30"	36.5"
TSDT-3060-RWM	60"	30"	36.5"
TSDT-3072-LWM	72"	30"	36.5"
TSDT-3072-RWM	72"	30"	36.5"

*Height excludes 6.5" backsplash

SOILED DISH BASKET INCLUDED WITH TSDT



STANDARD FEATURES

- 20 gauge, 304 stainless steel
- Perforated for better drainage
- Two sturdy handles for easy maneuvering

Model	W	D	H
TSDT-BASKET	20"	20"	4"

Bowl Size			Overall Size			HANDSINKS (SIZE STANDARD)
W	D	H	W	D	H	
14"	10"	5"	17"	16"	13"	

INCLUDED STANDARD



STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Curved corners and rolled edges
- 6.5" backsplash with 45° return
- Well-polished welded seams



THS-SG

Hand sink with 2 holes, 4" centered with splash guards (faucet not included)



Hand sink with 2 holes, 4" centered

THS-1 (faucet included)

THS-1-0 (faucet NOT included)




THS-AF

Hand sink for automatic faucet (faucet not included)

COMPATIBLE WITH

see p. 40-41 for details



WM-04-S6 / WM-04-G4

& other 4" wall mounted faucet bodies



WM-08-AF

automatic faucet

Bowl Size			Overall Size			KNEE SINK
Model	W	D	W	D	H	
TKS-1	13.5"	9.6"	5"	17.3"	13"	

STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Curved corners and rolled edges
- Well-polished welded seams



PEDESTAL HAND SINK WITH 2 PEDALS

(FAUCET & PEDALS INCLUDED)



SSDV

Sink Nozzle



SSDFV

Foot Valve



Bowl Size			Overall Size		
Model	W	D	W	D	H
TPS-1617	14"	10"	5"	17.25"	15.25"

**Height excludes 6.5" backsplash

PEDESTAL STANDARD FEATURES

- Made with 18 gauge, 304 stainless steel
- Well-polished welded seams
- Curved corners and rolled edges
- 8" backsplash with 45° return
- 2 pedals, 1.5" drain and gooseneck faucet included

SINK BOWLS (TSB)**

**SPECIAL ORDER ITEM – CONTACT A REPRESENTATIVE



Model	W	D	H
TSB-1016-10	16"	10"	10"
TSB-1016-14	16"	10"	14"
TSB-1616-10	16"	16"	10"
TSB-1818-12	18"	18"	12"
TSB-1818-14	18"	18"	14"
TSB-2020-10	20"	20"	10"
TSB-2424-12	24"	24"	12"
TSB-2424-14	24"	24"	14"

- Made with 16 gauge, 304 stainless steel
- 3.5" centre drain
- Ideal for welding into stainless steel counters
- Optional: available in 14 gauge, 304 stainless steel

Model	Bowl Size			Overall Size			DROP-IN SINKS (TDIS)**
	W	D	H	W	D	H	
TDIS-0909-5	9"	9"	5"	12"	14"	5"	**SPECIAL ORDER ITEM – CONTACT A REPRESENTATIVE
TDIS-1011-6	10"	11"	6"	13"	16"	5"	
TDIS-1110-6	11"	10"	6"	14"	15"	6"	
TDIS-1014-5	10"	14"	5"	13"	19"	5"	
TDIS-1410-5	14"	10"	5"	17"	15"	5"	



STANDARD FEATURES

- Bowl: 18 gauge, 304 stainless steel
- Top: 16 gauge, 304 stainless steel
- 3.5" centre drain


MOP SINKS (TMS)



Model	Bowl Size			Overall Size		
	W	D	H	W	D	H
TMS-2126-10	20"	16"	6"	25"	21"	10"
TMS-2533-10	28"	20"	6"	33"	25"	10"
TMS-2126-16	20"	16"	12"	25"	21"	16"
TMS-2533-16	28"	20"	12"	33"	25"	16"

STANDARD FEATURES

- Made with 16 gauge, 304 stainless steel bowl
- Designed for 3" drain pipe
- Floor mounted



SINK ACCESSORIES

SET OF "U" SHAPED REINFORCEMENT BARS




BRACE CONNECTORS

Model	Description
BRACE-I-CONNECTION	"I" shaped brace connector
BRACE-L-CONNECTION	"L" shaped brace connector
BRACE-T-CONNECTION	"T" shaped brace connector

Model	For
TSS-18-BRACE	18" single sinks
TSS-20-BRACE	20" single sinks
TSS-24-BRACE	24" single sinks
TDS-18-BRACE	18" double sinks
TDS-24-BRACE	24" double sinks
TTS-18-BRACE	18" triple sinks
TTS-24-BRACE	24" triple sinks

SET OF 4 STAINLESS STEEL LEGS



Model	For
TSINK-LEG18-SS	18" single sinks
TSINK-LEG20-SS	20" single sinks
TSINK-LEG24-SS	24" single sinks

For soiled dish baskets

See bottom of page 34

Model	For
TWM-SINK18	18" single sinks
TWM-SINK20	20" single sinks
TWM-SINK24	24" single sinks

SINK WALL BRACKET



STAINLESS STEEL OVERFLOW



Model	Description
OVERFLOW-08	8" overflow
OVERFLOW-09	9" overflow
OVERFLOW-10	10" overflow
OVERFLOW-11	11" overflow
OVERFLOW-12	12" overflow



DRAIN-15
stainless steel drain
(1.5" diameter)



DRAIN-35
stainless steel drain
(3.5" diameter)




TLD-DRAIN
Lever drain for
TSS-2424-C / TSS-2430-C

Model	Description
BP-15	Brass pipe for 1.5" drain



Model	Description
T-STRAINER	Strainer



STANDARD FEATURES

- 20" brass riser pipe
- 6" wall bracket
- Includes check valve to prevent cross-flow
- Spray valve conforms to ANSI/ASTM F2324-03
- 55" or 68" flexible stainless steel hose, Santoprene inner pipe
- **CSA and NSF approved**
- Plumbing installation kit included
- 3-year parts warranty
- Optional low flow rate spray gun of 0.65/gpm

PRE-RINCE FAUCET PARTS



96-SP Coil Spring
for hose



98-H-44 44" flexible hose
98-H-55 55" flexible hose
98-H-68 68" flexible hose



98-WB Wall bracket



98-PP Riser Pipe
(with hook)



00821-40 Hose
Connector



98-ASWV Swivel
Connector



Connection valve
98-A-V female thread
98-AO male thread



98-EN Elbow and
Nipple




98-SVH Handle



98-SV Spray Valve
98-SW Low Flow Rate
Spray Valve (0.65 gpm)



98-HTF Spray valve
repair kit
98-R O-ring for Spray Valve



98-HD Lever handle
repair kit



DM-04-S6

4" center mount,
6" nozzle



DM-08-S8

DM-08-S12

8" center mount,
8" or 12" nozzle



WM-04-S6

4" center mount,
6" nozzle



WM-08-S8

WM-08-S12

8" center mount,
8" or 12" nozzle

FAUCET PARTS



**9803 8" Deck Mount
Brass Inlet Faucet**



P-0133 8" Gooseneck Nozzle



006S 6" Nozzle

008S 8" Nozzle

012S 12" Nozzle



**SSDV Pedestal Sink Nozzle
for TPS-1617**



**9811 8" Wall Mount
Faucet Body**



**8" Wall mount
Pantry Faucet Body
9814-F Female inlets
9814-M Male inlets**



**Deck Mount Faucet Body
9816-F Female thread
9816-M Male thread**



TKS-VALVE TKS-1 Valve



WM-04-G4

4" center mount
4" Gooseneck nozzle

WM-08-G6

8" center mount
6" Gooseneck nozzle



WM-08-MP

Faucet for Mop Sink
(TMS-XXXX-XX)



WM-08-AF


Automatic faucet
for THS-AF



SSDFV Stainless Steel
Double Foot Valve
for TPS-1617



GR100 Mixing valve
for WM-08-AF



FV-001 Valve
for WM-08-AF



HS420 Hose
for WM-08-AF



ZZ-00 Connection Fitting





98-V-H Hot Cartridge
98-V-C Cold Cartridge





0098-10 Nipple
for DM faucet


Plumbing parts
are available at
all times at our
distribution centre
located in Dorval.

FRYER BASKET		Model	W	D	H
	STANDARD FEATURES <ul style="list-style-type: none">Wire thickness: 1.2mm (body), 4.8mm (handle)	TFRYB-3315-SS	13"	6"	6"
		TFRYB-3317-SS	13"	6.7"	6"
		TFRYB-3322-SS	13"	8.7"	6"
		TFRYB-3330-SS	13"	11.8"	6"

FRYER SPLASH GUARD		Model	W	D	Opening
	STANDARD FEATURES <ul style="list-style-type: none">• 18 gauge, 430 calibre stainless steel	TSGR-2214-SS	22"	14"	0.75"
		TSGU-2214-SS	22"	14"	1"

FRYER JOINING BAR		Model	W	D
	STANDARD FEATURES <ul style="list-style-type: none">• 18 gauge, 430 calibre stainless steel	TFJB-22-SS	22"	1.5"
		TFJB-0222	22"	2"

FRENCH FRY DUMP STATION		Model	W	D	H
	STANDARD FEATURES	FFDS-1218-SS	13"	6"	6"
	<ul style="list-style-type: none">Adjustable (front to back) for all fryer brands22 gauge, 304 calibre stainless steel				

KNOCKDOWN STANDING FRENCH FRY DUMP STATION		Model	W	D	Interior Depth	H
	STANDARD FEATURES <ul style="list-style-type: none">• 18 gauge, 430 calibre stainless steel	TSDS-2417-SS fits 16" x 22" bun pans & 15" Rubbermaid bins	24"	17"	15.5"	36"
		TSDS-2621-SS fits 18x26 bun pans	26"	21"	18.25"	36"

Warranty

Thorinox Inc. warrants that all Thorinox products will be free from defects in material and manufacturing at time of shipment.

Thorinox offers a one-year parts only warranty on its products, which covers against rust or corrosion or manufacturers' defect, when used under general indoor conditions. Green epoxy wireshelves have a 10 year* warranty. This warranty is made for the benefit of the original owner under normal usage and an original proof of purchase must be provided with any warranty claim.

Thorinox's liability is limited to the replacement of defective products or parts, following inspection by a Thorinox representative. Any returns must be prepaid freight to Thorinox and Thorinox will not be responsible for any and all ancillary expenses that may arise. This warranty is only applicable in Canada.

Pricing and Product Specifications

Prices are in US Dollars and are subject to change without notice. Prices may change due to unforeseen cost increases of products, raw materials or currency fluctuations. As we strive to provide high quality products, specifications are subject to change without prior notice. Some variations between pictures and products may occur.

Order Placement

All general orders must meet or exceed \$250.00 net minimum. A \$25.00 handling charge will automatically be added to any order if it does not meet the requirements set above. We require a written confirmation for all verbal orders. Please send them by fax or by email.

Returns

We will not accept returns unless approved in writing. Returned goods must be received within 60 days of purchase. To obtain a return authorization, please call 1.800.567.3620. All authorized returns must be FREIGHT PREPAID. A restocking fee of 25% will be applied to any unused products in their original packaging. Returned products which have been used, opened or are without their original box, are subject to inspection and a 50% restocking fee will be applicable.

Freight or Handling Damage

All items must be visually inspected for any damage, no matter how insignificant. If an item is received damaged, it must be clearly indicated "Received Damaged" on the carrier's waybill. Thorinox will not replace or credit any damaged equipment, if not confirmed and damage described in writing at the time of delivery. Thorinox will not be held responsible or liable for any transport-related damages in 3rd party shipments.

*The warranty will be voided if shelving is installed in a salty or humid environment.



DISTRIBUTED BY
DISTEX M&M INC.

www.thorinox.com
1-800-567-3620

